WISCONSIN HOMES INC

425 WEST McMILLAN, PO BOX 250, MARSHFIELD, WI 54449

WRITTEN CONFIRMATION OF ORDER Mar 2024 Price Book

BUILD	ER/DE	ALER:	SERIAL #:		
SALES	PERS	ON:	ROUGH PRINT #:		
CUSTO	OMER:		MODEL #:		
NFW H	HOME	ADDRESS:	DESCRIPTION:		
CITY:		STATE:	ORDER REVISED BY:		
ZIP:		COUNTY:	ORDER DATE:		
Z.II			ONDER DATE.		
1		EXTERIOR ITEMS Page	•		
QTY	U/M	DESCRIP			
	BOY	VINYL SIDING D4 (STD) or D4 DUTCH LAP COLOR = HARBOR MILL VINYL SHAKES IN DORMER (SINGLE 7") COLOR =	: SF OF AREA =		
		HARBOR MILL VINYL SHAKES IN DORMER (SINGLE 8")COLOR =	SF OF AREA =		
		LP SMARTSIDE 8" LAP W/ 1X4 DOOR/WNDW TRIM (DROP HDRS 3") - Si			
		LP SMARTSIDE 8" LAP W/ 1X4 DOOR/WNDW TRIM (DROP HDRS 3") - PI			
		3-1/2"W VINYL DOOR/WNDW TRIM (DROP HDRS 3") - LIFESTYLE COLO			
		3-1/2"W VINYL DOOR/WNDW TRIM (DROP HDRS 3") - AMER/SIGNATUR			
	EΑ	DORMER SIZE = LOC =			
	EA	OVERHANG RUN THROUGH DORMER - LOC =			
	EA	SHINGLED RETURN FOR DORMER END AND/OR RAKE END - LOC =			
		4/12 ROOF PITCH - CAPPED 28' WIDE W/ 21" TAILS			
		4/12 ROOF PITCH - CAPPED 30° WIDE W/ 15-14" TAILS INSTALLED WI, I	MN, IA, IL, ND, SD or SHIPLOOSE MI		
	LF	6/12 ROOF PITCH - CAPPED 28' WIDE W/ (15-1/4" TAILS) or (21" T	AILS - DROP WNDW HEADERS 3")		
	LF	6/12 ROOF PITCH - CAPPED 30' WIDE W/ 15-14" TAILS INSTALLED WI, I	MN, IA, IL, ND, SD or SHIPLOOSE MI		
		8/12 ROOF PITCH - CAPPED (15-1/4" TAILS)			
	LF/MD	4/12 PARALLEL CHORD - CAPPED (21" TAILS) - LIMITED AVAILABILITY			
		NOTE: FINISHED SIDEWALL IS 6" LOWER IN PARALLEL CHORD A			
	LF	6/12 PITCH HINGED (ON A 28' WIDE W/8' SIDEWALL) W/ (15-1/4" TAIL	, ,		
		*LIMITED AVAILABILITY (DUE TO HEIGHT) - *TRANSPORTATION N			
	LF LF	6/12 PITCH HINGED (28' WIDE W/ 9' SIDEWALL) W/ (15-1/4" TAILS) (6/12 PITCH HINGED (30' WIDE W/ 8' SIDEWALL) W/ 15-14" TAILS INSTAI	•		
	LF	*LIMITED AVAILABILITY (DUE TO HEIGHT) - *TRANSPORTATION N			
	LF	,			
	LF	6/12 PITCH HINGED (30' WIDE W/9' SIDEWALL) W/ 15-14" TAILS INSTALLED WI, MN, IA, ND, SD, IL or SHIPLOOSE MI MICHIGAN ROOF SYSTEM (EXTRA CHARGE DUE TO HEAVIER SNOW-LOAD REQUIREMENTS) SNOW LOAD =			
		**MULTI-STORY ONLY ROOF PITCH - 4/12 or 6/12 or	9/12 LOFT/TELMARK		
Х		LANDMARK SHINGLE COLOR = BURNT SIENNA or COBBLESTONE G			
		HEATHER BLEND or HUNTER GREEN or MOIRE BLACK or PEWTE	R or RESHAWN SHAKE or WEATHERED WOOD		
X		SOFFIT CENTER-VENT COLOR =			
Х		FASCIA COLOR =			
Х		GERKIN WINDOW (VINYL) COLOR = WHITE or TAN or SA	NDSTONE or MIDNIGHT (UPCHARGE)		
		*****MIDNIGHT COLOR ONLY AVAIL ON SINGLE HUNG or CASEME			
	EA	SHUTTERS VINYL LOUVERED or RAISED PANEL or BOARD-N-B	ATTEN COLOR: FRONT ONLY or ALL AROUND		
	LF	2X8 TREATED LEDGER BOARD - LOC =			
		10' L X 28' W TREATED COVERED PORCH (GABLE END) - LOC =			
	LF	8' SADDLE STYLE TRUSSES FOR ON-SITE PORCH (4/12 PITCH) NOTE			
		ONLY INCLUDES MAT'L TO FINISH TOP OF ROOF & EAVE. MAT'L			
		RAILING, STEPS, ETC IS NOT INCLUDED & IS THE RESPONSIBILIT			
	LF	8' SHED STYLE or 8' SADDLE STYLE TRUSSES FOR ON-SITI ONLY INCLUDES MAT'L TO FINISH TOP OF ROOF & EAVE. MAT'L	,		
		RAILING, STEPS, ETC IS NOT INCLUDED & IS THE RESPONSIBILIT			
			1 OF THE BOILBER		
X		PREP FOR CRANE SET			
		CEILING & WALL OPTIONS	Page 14 - 16		
	EA	DRYWALL ARCHWAY - LOC =			
	EA	DRYWALL ARCHWAY W/ REC HDR (FLAT CEILING ONLY) - LOC =			
		8'-0" SIDEWALLS W/ 84-1/4" STD or 81-1/4" or 78-1/4" HEA	DER HEIGHT (EXCEPT AS NOTED)		

QTY	U/M	DESCRIPTION				
		9'-0" SIDEWALLS W/ 95-3/4" or 92-3/4" or 89-3/4" or 84-1/4" STD or 81-1/4" or 78-1/4" HEADER HEIGHT (EXCEPT AS NOTED)				
X		9-0" SIDEWALLS W/ 95-3/4" Or 92-3/4" Or 89-3/4" Or 84-1/4" STD OF 81-1/4" OF 78-1/4" HEADER HEIGHT (EXCEPT AS NOTED) R-50 CEILING INSULATION (BLOWN-IN CELLULOSE)				
		HIGH PERFORMANCE BATT INSULATION IN EXT WALLS R-19 STD or R-21				
	ΕΛ					
		1" FOAM INSULATION ON EXT WALLS (R-5) BLDR/DLR MUST ADJUST BASEMENT SIZE - SEE FOUNDATION PRINT				
		TUBULAR SKYLIGHT 10" or 14" LOC =				
	LF/MD	KNOTTY PINE CEILING - FINISH = CLEAR - LOC =				
X		FLAT CEILINGS T/O EXCEPT AS NOTED				
	EA	CATHEDRAL CEILING LVRM, DIN RM, KITCHEN ADD:FOYERSTAIRWAYPANTRYPORCH				
	EA	ADD:UTILITYSTUDYOTHER:				
X		****CIRCLE ONE - STD MEDIUM TEXTURED SPRAY ON WALLS & CEILINGS or OPTIONAL SAND TEXTURE				
Х		****CIRCLE ONE - STD ROUNDED DRYWALL CORNERS W/ 90 DEG BULLNOSE BASE ADAPTOR or OPTIONAL SQUARE CORNERS				
	SET	DBL CLOSET BAR - LOC =				
	SET	4 CLOSET SHELVES - LOC =				
	LF	TRAY CEILING: 90 DEG (RECESSED 8' SIDEWALL) or 90 DEG (BUILD-DOWN 9' SIDEWALL) or 90 ANGLED (BUILD-DOWN 9' SIDEWALL)				
		ON-SITE BASEMENT DEPTH = 8' or 9' or 10'				
		ON-SITE CRAWLSPACE - FLOOR ACCESS LOC = or ACCESS ON-SITE BY OTHERS				
		BASEMENT STAIRS BUILT ON-SITE BY OTHERS				
	FΔ	8' DEEP BASEMENT STAIRS BY W.H. ASSEMBLED W/ BACKERS or 9' DEEP BASEMENT STAIRS BY W.H. ASSEMBLED W/ BACKERS				
	LA					
		ENCLOSED STAIRWAY				
		HALFWALL AT STAIRWAY WITH CAP STYLE = COLOR =				
		DOODS & MINDONS David 47 24				
		DOORS & WINDOWS Page 17 - 34				
X		FRONT DOOR (36") MODEL = S60 (STD)				
	EA	CLADDED FRONT DOOR FRAME				
	EA	PAINT FRONT DOOR (MUST ORDER CULL) EXT SIDE COLOR = INT SIDE COLOR =				
	EA	STAIN FRONT DOOR (MUST ORDER CULL) EXT CLR = INT CLR =				
Χ	EΑ	REAR DOOR (36") MODEL = S60 (STD) (FIRE RATED)				
	EΑ	CLADDED REAR DOOR FRAME				
	EΑ	PAINT REAR DOOR (MUST ORDER CULL) EXT SIDE COLOR = INT SIDE COLOR =				
		INSTALL CULL DOOR FRONT REAR OTHER				
×		STD KEYED-ALIKE DEADBOLT - LOC = FRONT DOOR, REAR DOOR				
		LEVERSET EXTERIOR DOOR HANDLES FRONT REAR				
	LA	FLUSH PANEL, HOLLOW CORE OAK INTERIOR DOORS - COLOR =				
		LOCATION = THROUGHOUT				
	Ε.					
	EA	OTHER STYLE INTERIOR DOORS = COLOR =				
		LOCATION =				
		INTERIOR FRENCH DOOR (36" SGL) - LOC = STYLE =				
		PANTRY DOOR W/ DECORATIVE GLASS 24" 30" TYPE =				
	EA	36" INTERIOR PASSAGE DOOR(S) - LOC =				
	EA	POCKET DOOR - LOC =				
X		**NEW STD** 32" INTERIOR DOOR - LOC = BA #1 (W/A) (UNLESS OTHERWISE NOTED)				
X		**NEW STD** BYPASS SLIDING CLOSET DOORS - LOC = SEE PLAN				
	EA	LEVERSET INTERIOR DOOR HANDLES				
X		DOOR HARDWARE (EXTERIOR & INTERIOR) SATIN NICKEL or VENETIAN BRONZE or BLACK				
		PRIVACY INTERIOR DOOR LOCKS IPO STD - LOC = BR #1 BR #2 BR #3 BR #4 OTHER				
		INTERIOR TRIM PKG (COLONIAL) OAK (STD) or HICKORY or PINE or PAINTED COLOR:				
		INTERIOR TRIM PKG (SHAKER-CABIN STYLE CUT- EXTEND TOP TRIM RAIL 3/4" PAST SIDES OF DRS/WDWS - 4" STUBS				
		REQ'D) - STYLE = OAK or HICKORY or KNOTTY PINE #2 or PAINTED COLOR =				
		S4S TRIM PKG STYLE = OAK or HICKORY or PINE or PAINTED - 1X4 CASING & 1X6 BASE (EXTEND				
		TOP & BOTTOM TRIM RAILS 1/2" PAST SIDES OF DOORS/WNDWS - 5" STUBS REQ'D) - COLOR =				
*****	*****	* NOTE : ANY PAINTED TRIM REQUIRES PUTTYING, SANDING & FINAL PAINTING ON-SITE BY OTHERS FOR FINISHED PRODUCT				
		·				
		NEW STD VINYL WINDOWS W/ PVC JAMBS & WOOD TRIM - JAMB COLOR = WHITE				
		VINYL WINDOWS W/ PVC JAMBS & WOOD TRIM - JAMB COLOR = SANDSTONE or TAN				
		VINYL WINDOWS W/ WOOD JAMBS & TRIM OAK HICKORY PINE PAINTED				
		VINYL SLIDING PATIO DOOR 6' or 8' or 9' (TRIPLE) LOC =				
X		VINYL WINDOW STYLE (EXCEPT AS NOTED) SGL-HUNG or DBL-HUNG or CASEMENT or SLIDER				
		TRAPEZOID WINDOWS (PER PAIR) - LOC =				
		AIRSPACE GRILLS (MATCH WDW EXT COLOR) STYLE: PRAIRIE or COLONIAL or COTTAGE or SGL HNG LOOK or TOP ROW				
	EA	BOX-BAY WINDOW (W/ SEAT) - LOC = LIVING ROOM SEAT =				
		BOX-BAY WINDOW TO FLOOR OUTSIDE - LOC = LIVING ROOM SEAT =				
		BOX-BAY WINDOW TO FLOOR INSIDE - LOC = LIVING ROOM				

QTY	U/M	DESCRIPTION
	EA	BOX-BAY WINDOW TO FLOOR INSIDE W/ CAB STYLE STORAGE SEAT BELOW (SEE CAB SECT) LOC =
	-	
r		FLOOR COVERINGS Page 35 **(NO WISC HOMES WARRANTY ON FLOOR VINYL)**
	ΕΛ	LIVING ROOM COLOR =
	. EA	DINING ROOM COLOR =
	EA	
	•	UTILITY COLOR =
	•	HALL COLOR =
	-	FOYER COLOR =
	-	REAR FOYER COLOR =
	•	STUDY COLOR =
	-	BEDROOM#1 COLOR =
	-	BEDROOM#2 COLOR =
	EA	BEDROOM#3 COLOR =
	EA	BATH #1 COLOR =
	EA	BATH #2 COLOR =
	EA	BATH#3 COLOR =
	EA	CARPET BEDROOM CLOSETS (SHIP LOOSE)
	•	**BASE TRIM IS CUT TO SIZE & TACKED IN PLACE (EXCEPT WHEN WH HOMES INSTALLS FLOORING) - LOC = T/O
	LFP	THERMAX 2" (R-13) or 4" (R-26) FOAM INSULATION ON RIM JOISTS
	•	
		CABINETRY Page 36 - 39
	•	KITCHEN OAK RAISED PNL (STD) FINISH =
	_	KITCHEN OPT CABINET STYLE: FINISH =
	-	STD COVE MOLDING AT TOP OF WALL CABINETS - NO SOFFIT
Χ	•	**NEW STD** BD3-18 (CUTTING BOARD, CUTLERY TRAY & SPICE TRAY) (LAYOUT MATCHES OPT POT & PAN DRAWERS)
	•	STD REFRIGERATOR CAVITY 39" W X 72" H
	EA	24" DEEP REFRIGERATOR CABINET
	EA.	6" TALLER WALL CABINET - LOC =
	EA.	SLIDE-OUT BASE CABINET SHELVES W/ STD SLIDES (BTK) or B.B SLIDES (BTK) BOTTOM ONLY or TOP & BOTTOM
	LF	MATCHING CROWN MOLDING KITCHEN BATHS UTILITY
	LF	MATCHING UNDER-CABINET TRIM (ADJUST WALL & PANTRY CAB'S, ETC BY 1") KITCHENUTILITY
	-	BROOM CABINET - OAK - LOC = AT END OF REF6" DEEP7" DEEP (MATCH WINE RACK WIDTH)
	-	BD3-36 POTS-N-PANS DWR W/ H.D. SIDE-MOUNT B.B. SLIDES
		BD3-36 POTS-N-PANS DWR W/ H.D. UNDER-MOUNT SOFT-CLOSE B.B. SLIDES (MUST ORDER DOVETAIL DWR BOXES)
		BALL-BEARING DRAWER SLIDES (STD DWR BOXES) KITCHEN BATHS UTILITY
	EA	SOFT-CLOSE CABINET DOORS KITCHEN BATHS UTILITY
	. EA	DOVETAIL DRAWER BOXES W/ B.B. SLIDES KITCHEN BATHS UTILITY DOVETAIL DRAWER BOXES W/ UNDER-MOUNT SOFT-CLOSE SLIDES KITCHEN BATHS UTILITY
	-	DOVETAIL DRAWER BOXES W/ UNDER-MOUNT SOFT-CLOSE SLIDES KITCHEN BATHS UTILITY "MARTINCRAFT" DOUBLE TRASH BIN DRAWER (18") #MC18-DBL-TB - LOC =
	-	"MARTINCRAFT" LAZY SUSAN CORNER UNIT W/ DRAWERS #MC-LSCD - LOC =
		DOOR-MOUNT TRASH BIN KIT SINGLE BIN (FOR 15" CAB) or DOUBLE BIN (FOR 18" CAB) LOC =
	. LA	RAISE KITCHEN CABINETS FOR ON-SITE FLOORING - HEIGHT =
	•	TAIGE RECEIVED AND INC. TO CON-SITE FEOGRAMS - FILIGHT -
	•	
	•	-
		BATHS OAK RAISED PNL (STD) FINISH =
	•	BATHS OPT CABINET STYLE: FINISH =
	EA	BATHS OPT CABINET STYLE: FINISH = 36" TALL VANITY CABINET(S) BATH #1 BATH #2 BATH #3
	EA	LINEN ABOVE STOOL (TT2430 - 8" DEEP) BATH #1 BATH #2 BATH #3
	EA	COUNTERTOP LINEN (18") BATH #1 BATH #2 BATH #3
	•	RAISE BATH CABINETS FOR ON-SITE FLOORING - HEIGHT = BATH #1 BATH #2 BATH #3
	-	
	-	
		UTILITY OAK RAISED PNL (STD) FINISH =
	_	UTILITY OPT CABINET STYLE: FINISH =
	EA	CABINET ABOVE WASHER/DRYER
	EA	BENCH SEAT W/ COAT HOOKS, DRAWER STYLE - LOC =
	-	LOCKER W/ DRAWER STYLE BENCH - LOC =
· <u></u>	EA	WOOD HANGING BAR (80" UP) WIRE CLOSET BAR (80" UP) LOC =

QTY	U/M		DESCRIP	TION			
	EA	RAISE UTILITY CABINETS FOR ON-SITE FLOORING	· HEIGHT =				
1	•	BOX-BAY STORAGE - OAK RAISED PNL or		4-DR or 6-DR LOC =		FINISH =	
	•	CABINET HARDWARE					
	FA	CUP PULL (AMEROCK) NICKEL or BRONZE or E	BLACK LOC =				
-	•	FORGE PULL NICKEL or BRONZE or B					
	•	FORGE KNOB NICKEL or BRONZE or B					
	•	KNOB (AMEROCK) NICKEL or BRONZE or E					
	•	HANDLE (AMEROCK) NICKEL or BRONZE or E					
	•	BARREL HANDLE (AMEROCK) NICKEL or BRONZE or E					
		BAR PULL (AMEROCK) NICKEL or BRONZE or E					
	•	BRIDGE HANDLE (AMEROCK) NICKEL or BRONZI					
	•	,	N/A BLK LOC =				
	•	SCROLL KNOB (AMEROCK) NICKEL or BRONZE					
		В	ATH Page 39 - 5	50			
	EA	18" MEDICINE CABINETOAKHICK	ORY	BATH #1 BAT	H #2	BATH #3	
	EA	OMIT STD MEDICINE CABINET BATI	H#1BAT	H #2 BATH #3			
	EA	MIRROR W/ BEVELED EDGE (IPO MED. CAB.)	BATH #1	BATH #2 BAT	H #3		
	EA	RECESSED MEDICINE CAB. W/ 2 MIRRORS (IPO 2 S	ΓD MED. CAB'S)	BATH #1	BATH #2	BATH #3	
		FRAMED WOOD MIRROR (MATCHING CABINETRY) I	PO STD	BATH #1	BATH #2	BATH #3	
	EA	LIGHT ABOVE TUB OR SHOWER (LED LOW-PROFILE	≣)	BATH #1	BATH #2	BATH #3	
	EA	DOOR FOR S36 SHWR or S48 SHWR or S60 SH	WR or GB-60 TUB/	SHWR COLOR =		LOC =	
	EA	SHOWER CURTAIN ROD - STRAIGHT CHRC	OME or BR. NICKE	EL or O.R. BRONZE	BATH	#	•
	EA	TUB/SHOWER CURTAIN ROD - CURVED CHRC	OME or BR. NICKE	EL or O.R. BRONZE	BATH	#	•
	EA	CAP ON TUB OR SHOWER (LIMITED AVAILABILITY)			BATH	#3	
	EA	DROP-IN TUB - MODEL# =	BAT		B	ATH #3	
	EA	WHIRLPOOL JETS FOR TUB - LOC = BATH #1	BATH #2	BATH #3			
	EA	ELONGATED STOOL BATH #1	BATH #2	BATH #3			
	EA	ADA SMART-HEIGHT STOOL BATH #1	BATH #2	BATH #3			
	EA	GRAB BAR S.S. O.R. BRONZE	LOC =				
		TILE BACKSPLASH VANITY (~ 8" TALL)	TILE COL			BATH#	
		TILED SHOWER W/ PRE-FORMED SHOWER BASE -				or 5' x 5' or 6' X 4'	BA#
	EA	TILED SHOWER W/ TILED SHOWER BASE - SELECT			or 4' X 6'		BA#
	•	TILE COLOR:		11" or 11" X 17"			
	EA	4" WIDE DECO STRIP ON SHOWER WALLS - COLOR					
		*********BELOW TWO SELECTIONS					
	•	BATH #1 CLASSIC STNLS or DRYDEN CHROME / STN					
	•	BATH #2 CLASSIC STNLS or DRYDEN CHROME / STN	ILS / VEN BRZ or LAF	IARA CHROME / STNLS / VI	EN BRZ or TR	INSIC CHROME / STNLS	/ VEN BRZ
	•	RAINCAN SHOWER HEAD - CEILING MOUNT					
	•	OPT VANITY FAUCET - BATH #	MODEL #		•	CHROME or BR NICKL	
	•	OPT SHOWER FAUCET - BATH #	MODEL #		•	CHROME or BR NICKL	
	•	OPT TUB/SHWR FAUCET - BATH #	MODEL #		-	CHROME or BR NICKL	
	•	OPT ROMAN TUB FAUCET - BATH #	MODEL #		-	CHROME OF BR NICKL	
-	•	OPT FLUSH I SVER BATH #	MODEL #		•	CHROME OF BR NICKL	
x		OPT FLUSH LEVER - BATH #STD DELTA "CLASSIC" SERIES 18" TOWEL BAR & SU	MODEL #		-	CHROME or BR NICKL	E OI VB
	•	OPT TOWEL BAR - BA # SIZE =					E or VR
		SIZE =	10 01 24 WOL	JLL #	COLOIX -	CHROME OF BRINGRE	.L 01 V B
	•						
			ING OPTIONS F	Page 51			
		PEX WATERLINES CONNECTED IN FLOOR JOISTS					
	•	OUTSIDE WATER FAUCET (SHIPPED LOOSE ONLY)		WILLIE BIOOLE			
		LAUNDRY TUB IN CABINET #10 or #11	COLOR=	WHITE or BISQUE			
	•	RADON VENT PIPE TO ATTIC (W/ RECEP)	(CONNECTION DE	OLUBED ON OUTE DV OT	LIEDO)		
	FΑ	MOVE SEWER VENT IN ATTIC TO REAR OF HOUSE		MOIKED ON-SILE BY OL	HEKS)		
	•		C COD DCC \\\\ \	DUNE			
	•	RECESSED ICE-MAKER BOX W/ VALVE & POLY TUB	E FOR REF. WATE	RLINE			
	•	RECESSED ICE-MAKER BOX W/ VALVE & POLY TUB	E FOR REF. WATE				
	•	RECESSED ICE-MAKER BOX W/ VALVE & POLY TUB					
	EA	RECESSED ICE-MAKER BOX W/ VALVE & POLY TUB APPL					
	EA	RECESSED ICE-MAKER BOX W/ VALVE & POLY TUB APPL COLOR = WHITE or BLACK or STAINLESS	IANCES Page 5				

QTY	U/M	DESCRIPTION		
QII				
		PREP FOR ON-SITE GARBAGE DISPOSAL		
	ΕA	REFRIGERATOR (STD CAV = 39" X 72") - MODEL #		
		WATERLINE FOR ICE-MAKER (SELECT RECESSED ICE-MAKER BOX IN "PLUMBING OPTIONS" SECTION)		
	EA	RANGE or COOKTOP MODEL#		
		RANGE RECEP GAS (STD) or ELECTRIC or BOTH GAS & ELECT		
		RANGE HOOD WHITE (STD) or BLACK (N/C) or STAINLESS STANDARD or CHIMNEY STYLE (OMIT WALL CAB)		
	EΑ	OMIT STD RANGE HOOD - WIRE/VENT FOR ON-SITE HOOD STANDARD or CHIMNEY STYLE (OMIT WALL CAB)		
	EΑ	MICROWAVE ABOVE RANGE - MODEL # WIRE & VENT FOR ON-SITE MICRO ABOVE RANGE (IPO STD HOOD)		
	EΑ	WASHER - MODEL # DRYER - MODEL #		
		DRYER RECEP (48" ABOVE FLOOR) ELECT (STD) or GAS or BOTH ELECT & GAS		
	FΔ	RECESSED DRYER VENT BOX		
	LA	NEOLOGED BITTER VEINT BOX		
		KITCHEN MISCELLANEOUS Page 53 - 55		
	ГΛ			
		8" DEEP STAINLESS STEEL SINK		
		KARRAN DOUBLE-BOWL STAINLESS STEEL UNDER-MOUNT SINK - MODEL #E-350		
	EA	KARRAN DBL-BOWL QUARTZ UNDER-MOUNT SINK - MODEL #Q-350 - COLOR =		
		CAVALIER** DELTA FOUNDATIONS SERIES KITCHEN SINK FAUCET = MODEL #B4410LF		
		#340 KITCHEN FAUCET (CLASSIC SERIES) CHROME (STD) or STAINLESS		
	EΑ	#470 KITCHEN FAUCET (SIGNATURE SERIES) CHROME or STAINLESS or BLACK		
	EA	#978 KITCHEN FAUCET (LELAND SERIES) CHROME or STAINLESS or VENETIAN BRONZE or BLACK		
	EΑ	#9193 KITCHEN FAUCET (PIVITOL SERIES) CHROME or STAINLESS or BLACK		
	EΑ	#9159 KITCHEN FAUCET (TRINSIC SERIES) CHROME or STAINLESS or BLACK		
	EΑ	TILE OR GLASS BETWEEN WALL & BASE CABS TILE COLOR =		
		INSTALLED ABOVE ROLLED BACKSPLASH or OMIT ROLLED BACKSPLASH		
		COLORS Page 50		
Х		KITCHEN COUNTER TOP COLOR =		
<u>X</u>		BATH #1 FIXTURE COLOR = WHITE or BISQUE BATH #1 COUNTERTOP COLOR =		
		BATH #1 TUB PLATFORM COUNTER TOP COLOR = BATH #2 FIXTURE COLOR = WHITE or BISQUE BATH #2 COUNTERTOP COLOR =		
Х				
		UTILITY COUNTERTOP COLOR =		
		ELECTRICAL & LIGHTING Page 51 - 52		
		<u> </u>		
		RECEP - EXTRA INTERIOR - LOC =		
		RECEP - EXTRA EXTERIOR (1 STD FRONT & REAR) - LOC =		
<u> </u>		**NEW STD** RECEP W/ GUIDELIGHT - LOC = HALL (NEAR BEDROOMS)		
	EA	RECEP W/ 2 USB CHARGING PORTS #T5632 W/ TYPE A & TYPE A or #T5633 W/ TYPE A & TYPE C or #T5635 W/ TYPE C & TYPE C		
		LOC =		
	EA	RECEP (SWITCHED) ABOVE KIT WALL CAB'S (HORIZ) - LOC =		
	EΑ	GARAGE POWER & 3-WAY SW FOR GARAGE - S/L EXTERIOR LIGHT & SIDING IN GARAGE AREA - SEE PRINT		
	EΑ	GARAGE POWER & 3-WAY SW FOR GARAGE - OMIT EXTERIOR LIGHT & S/L SIDING IN GARAGE AREA - SEE PRINT		
	EΑ	SWITCH FOR PORCH LIGHTING - COIL LOC = ABOVE DOOR (SHIP LOOSE SOFFIT IN COIL AREA)		
	EΑ	SWITCH - DIMMER #IPL06-10Z - (3 WAY CAPABLE) - LOC =		
	EΑ	LIGHT W/ INDICATOR SWITCH ATTIC or CRAWLSPACE (REQ'D) LOC =		
	EΑ	ELECTRIC SERVICE PANEL IN BASEMENT (STD MODULE = KITCHEN) - LOC =		
		ELECTRIC SERVICE PANEL IN OPTIONAL LOCATION - LOC =		
		FISHWIRE BOX - (FOR PHONE, TV, COMPUTER, ETC) RANCH		
x		STD FISHWIRE FOR FURNACE THERMOSTAT		
		FISHWIRE FOR AIR EXCHANGER THERMOSTAT		
		'STD EXTERIOR LIGHT #9776 - COLOR = BLACK or WHITE		
	EA	REC ENTERTAINMENT BOX #TV3WW (N/A IN EXT / MATE WALL) W/ FISHWIRE & RECEP		
		LOC =		
	EA	PREP FOR ON-SITE CEILING FAN - LOC =		
X		NICKEL LIGHT PKG or OLD BRONZE LIGHT PKG or BLACK LIGHT PKG ****(DOES NOT INCLUDE LED LOW PROFILE LIGHTS)		
Х	EA	STD LED LOW-PROFILE LIGHT - LOC = KIT OVER SINK, STAIRWAY, WALK-IN CLOSETS, PANTRY (WA) FOYER(S), HALL, UTILITY		
		LED LOW-PROFILE LIGHT - COLOR = WHITE or OZ LOC =		
		LED LOW-PROFILE LIGHT - COLOR = WHITE or OZ LOC =		
		LED LOW-PROFILE LIGHT - COLOR = WHITE or OZ LOC =		
		LED LOW-PROFILE LIGHT - COLOR = WHITE OF OZ LOC =		

QTY	U/M	DESCRIPTION		
	EA	LED LOW-PROFILE LIGHT - COLOR = WHITE or OZ LOC =		
	•	UNDER-CAB LIGHT (LED-22") #4U27K22 - COLOR = WHT or BZT LOC =		
	•	UNDER-CAB LIGHT (LED-12") #4U27K12 - COLOR = WHT or BZT LOC =		
	•	UNDER-CAB LIGHT (LED-8") #4U27K08 - COLOR = WHT or BZT LOC =		
		EXTRA BASEMENT LIGHT BOXES (1 IS STD)		
	•			
	•			
	•			
	•			
		FIREPLACE Page 53 - 56		
		WOOD-BURNING (KOZY HEAT #Z-42 SEALED COMBUSTION) - LOC =		
		LP GAS (KOZY HEAT BAYPORT 41-LOG W/ REMOTE) - LOC =		
		NATURAL GAS (KOZY HEAT BAYPORT 41-LOG W/ REMOTE) - LOC =		
	EA	DIRECT VENT GAS FIREPLACE (RANCH)		
	•	TOP VENT GAS FIREPLACE (RANCH)		
	•	FULL-STONE FRONT - (RANCH) - STONE STYLE/COLOR =		
-	•	HALF-STONE FRONT - (RANCH) - STONE STYLE/COLOR =		
	EA	MANTEL OAK or PINE or HICKORY or PAINTED FINISH =		
	•	FULL-EXTERIOR CHASE (RANCH)		
	•	HALF-EXTERIOR CHASE (GAS FIREPLACE SET-UP ONLY)		
-	•	FLAT HEARTH		
-	•	RAISED HEARTH STONE or BRICK or DRYWALL FRONT		
	•	OSSEO ELECTRIC FIREPLACE - 29 (TRAD) or 45 (LINEAR) or 60 (LINEAR)		
	EA			
	. гл	ADDITIONAL MEDIA (NOT REQUIRED FOR OSSEO FIREPLACE) - LAVA ROCK or TRADITIONAL LOG SET or DRIFTWOOD LOG SET		
-	EA	MANTLE =		
-				
		STATE CODE, LABEL, APPROVAL, INSPECTION & ENGINEERING FEES Page 56		
		LABEL/APPROVAL FEES TOTAL # OF MOD'S 3RD PARTY INSP FEE ENGRG FEES		
~		ENDLEMENTAL FILES TOTAL # OF WIOD'S SIND FAIRT HAST FILE ENGINE FILES		
<u> </u>	•	NOTE: BUILDER RESPONSIBLE TO NOTIFY W.H. W/ ANY LOCAL/COUNTY BLDG CODES THAT EXCEED STATE CODES		
		AIR EXCHANGER/HEAT & R.A. DIFFUSERS Page 57		
X	FΔ	STD HEAT DIFFUSERS, BOOTS & RIGID RETURN AIR DUCTS (W/ S/L AIR CONTROLLER)		
	•			
	. EA	AIR EXCHANGER W/ (2) 2-1/4" X 12" DUCTS - MODEL = #HRV150S - DUCT LOC =		
	EA	MAKE READY FOR ON-SITE AIR EXCHANGER (INCLUDES FISHWIRE & TWO 2-1/4" X 12" DUCTS)		
		DUCT LOCATIONS =		
	EA			
	. EA	ADDITIONAL 2-1/4" DUCT(S) - LOC =		
	i			
		GARAGE AREA INFORMATION		
		OMIT OVERHANG or DO NOT OMIT OVERHANG		
-		STAGGER SHINGLES OF DO NOT STAGGER SHINGLES		
	•	STAGGER SIDING or DO NOT STAGGER SIDING		
	•	NO ATTACHED GARAGE		
		DODCH ADEA INFORMATION		
		PORCH AREA INFORMATION OMIT OVERHANG OF DO NOT OMIT OVERHANG		
		OMIT OVERHANG OF DO NOT OMIT OVERHANG		
	<u>.</u>	STAGGER SHINGLES or DO NOT STAGGER SHINGLES		
	•			
1		NOTES		
		NOTES		
	•			
	•			
	•			
	<u>.</u>			